#### THE MONICIPAL AUTHORITY OF THE TOWNSHIP OF WASHINGTON

1390 Fayette Avenue, Belle Vernon, PA 15012 (724) 929-3370 TTY/TTD 711 Fax (724) 929-2680 www.mawt.net

#### 2021 ANNUAL DRINKING WATER QUALITY REPORT

PWSID #: 5260009 NAME: Municipal Authority of Washington Township

Este informe contiene información importante acerca de su agua potable. Haga que alguien lo traduzca para usted, ó hable con alguien que lo entienda. (This report contains important information about your drinking water. Have someone translate it for you or speak with someone who understands it.)

#### WATER SYSTEM INFORMATION:

This report shows our water quality and what it means. If you have any questions about this report or concerning your water utility, please contact the Customer Service Department at (724) 929-3370.

We want you to be informed about your water supply. If you want to learn more, please attend any of our regularly scheduled meetings. They are held the last Tuesday of the month at 6:00 PM at the Washington Township Community Building, located at 1392 Fayette Avenue, Belle Vernon, Pa.

#### SOURCE(S) OF WATER:

Our water source for our Harmony Church, Rathway, and Perryopolis Road customers is the Municipal Authority of Westmoreland County's Indian Creek Plant on the Youghiogheny River in Connellsville, PA. (PSWID 5260036)

We are proud that your drinking water meets or exceeds all Federal and State requirements.

A Source Water Assessment of our source(s) was completed by the PA Department of Environmental Protection (Pa. DEP). The Assessment has found that our source is potentially most susceptible to Transportation, Wildcat Sewers, Utility Substations, Marinas, Power Plants, Strip Mines, and Wastewater Treatment as potential Sources of Contamination. Overall, our source has moderate risk of significant contamination. A summary report of the Assessment is available on the *Web* page at (<a href="http://www.dep.state.pa.us/dep/deputate/watermgt/wc/Subjects/SrceProt/SourceAssessment/default.htm">http://www.dep.state.pa.us/dep/deputate/watermgt/wc/Subjects/SrceProt/SourceAssessment/default.htm</a>).

Complete reports were distributed to municipalities, water supplier, local planning agencies and PADEP offices. Copies of the complete report may be obtained by calling The Washington Township Municipal Authority at (724) 929-3370.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the *Safe Drinking Water Hotline* (800-426-4791).

#### MONITORING YOUR WATER:

We routinely monitor for contaminants in your drinking water according to federal and state laws. The following tables show the results of our monitoring for the period of January 1 to December 31, 2021. The State allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data is from prior years in accordance with the Safe Drinking Water Act. The date has been noted on the sampling results table.

#### **DEFINITIONS:**

Action Level (AL) - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**Maximum Contaminant Level (MCL)** - The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

**Maximum Contaminant Level Goal (MCLG)** - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

**Maximum Residual Disinfectant Level (MRDL)** - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

*Minimum Residual Disinfectant Level (MinRDL)* - The minimum level of residual disinfectant required at the entry point to the distribution system.

*Treatment Technique (TT) -* A required process intended to reduce the level of a contaminant in drinking water.

*Mrem/year* = millirems per year (a measure of radiation absorbed by the body)

pCi/L = picocuries per liter (a measure of radioactivity)

ppb = parts per billion, or micrograms per liter (µg/L) ppm = parts per million, or milligrams per liter
(mg/L)

ppq = parts per quadrillion, or picograms per liter

ppt = parts per trillion, or nanograms per liter

### 2021 Consumer Confidence Report Westmoreland County, Indian Creek Water Plant

				TES	T RESUL	TS.		
Contaminant	Date Tested	Unit	MCL	MCLG	Detected Level	Range	Likely source of contamination	Violation
				Inorg	anic Chemi	cals		
Fluoride	2021	ppm	4	4	ND		Naturally occurring aluminum and fertilizer factory discharge	no
Copper	2019	ppm	1.3	1.3	0.4	(b)(d)	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives.	no
# of samples over action level					0			
Lead	2019	ppb	15	0	14.0	(b)(d)	Corrosion of household plumbing systems; erosion of natural deposits.	no
# of samples over action level					0			
Nitrate	2021	ppm	10	10	0.94	(a)	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits.	no
Nitrite	2021	ppm	1	0	ND	(a)	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits.	no
Barium	2021	ppm	2	2	0.03		Mine discharge, drilling waste, copper smelting	no
Cyanide	2021	ppm	0.2	0	ND		Metal extraction, some plant decomposition	no
		Trea	tment 7	Γechniqu	e (TT) Tota	al Chlorine I		
Entry Point	2021	ppm	0.2	MinRDL		1.5 - 3.0	Added by water treatment plant for disinfection	no
Distribution	2021	ppm	4	MRDL		0.04-2.72		no
					Organics			
NDMA	2020	ppm	NA	NA	ND		Chloromine byproduct	no
				Total Org	janic Carbo			
					Range Required	Range Achieved		
(TOC)	2021	ppm	тт		35%	12.7- 39.3%	Natural decaying matter	no
			······································	Oraș	anic Chemic	rals		·

				Orga	anic Chemi	cals		
TTHMs (Total Trihalomethanes)	2021	ppb	80	0	59.3	27.0-78.3	By-product of drinking water chlorination.	no
HAA 5	2021	ppb	60	0	52.8	4.4-67.2	By-product of drinking water chlorination.	no
Other VOC's	2021				ND			no
Manganese	2018	ppb	NE	NE	67.6	.46-67.6	By-product of steel production	no
Butanol	2018	ppb	NE	NE	14			
Radioactive								
Radium 228	2020	pCi/L	5		0.0		Decay of natural and man-made	no
Radium 226	2020	pCi/L	5		0.0		deposits	no
Gross Alpha Particles	2020	pCiL	15		0.0			no
Total Uranium	2020	pCi/L	30		0.0			no

# 2021 Consumer Confidence Report Westmoreland County, Indian Creek Water Plant

M2 (HAA)								
HAA5	2018	ppb	NE	NE	53.77	2.1-78.8	By-product of drinking water chlorination	no
HAABr	2018	ppb	NE	NE	3.88	0.0-7.42	By-product of drinking water chlorination	no
HAA9	2018	ppb	NE	NE	57.6	2.1-84.8	By-product of drinking water chlorination	no
TOC	2018	ppb	NE	NE	2190	1590-2190	Naturally occurring organic matter	no
Bromide	2018	ppm	NE	NE	ND		Naturally occurring	no
	<u> </u>	.L		Mi	crobiologic	al		······································
Turbidity	2021	NTU	0.3	0	0.9	(f)	Soil Runoff	no
Bacteria	2021		>5.0%		Α	0.7%	Soil Runoff	no

ND

(a) Only one sample was required for monitoring period.

(b) No samples were detected above the action level.

(c) 100% of samples in compliance.

(d) Samples met 90th percentile compliance.

(e) MCL for <40 samples = 1 pos.

LT2 (Cryptosporidium)

TT=Treatment Technique ND=None Detected

Animal Feces

A=Bacteria Absence

NE=Not Established

(f) 95% of the measurements were less 0.5 NTU, 95% of measurements were <0.3 NTU

2018 source water

(g) In months that the percent achieved was below requied, there was no exceedance of the TT because MAWC met alternative compliance criteria as required by the PA Safe Drinking Water Act

#### **EDUCATIONAL INFORMATION:**

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water run-off, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations,
  urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA and DEP prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA and DEP regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's *Safe Drinking Water Hotline* (800-426-4791).

#### Information about Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Municipal Authority of Washington Township is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <a href="http://www.epa.gov/safewater/lead">http://www.epa.gov/safewater/lead</a>.

### HELPFUL HINTS



#### **LEAD**

- The Municipal Authority of Washington Township cares about your health and has been acting for many years to help limit exposure to lead in drinking water. As a customer, there are some steps you can take to further help limit your exposure.
- Lead does not come from the treatment plant or water main; it comes from lead service lines running between the water main in the street and the home, and from plumbing inside the home.
- If you have lead in the water pipe leading to your home or in your home plumbing, you should take precautions to protect your family and consider removing the sources of lead.
- You can reduce your risk of consuming lead in water by:
  - Flushing out the lines after a period of stagnation to get fresh water that is coming from the main.
  - Avoiding consuming water from the hot water tap, where lead is more likely to be present.
  - Purchasing a point-of-use treatment device certified to remove lead.
  - Using an alternative supply or bottled water until sources of exposure are removed.
  - If you test for lead in your tap water, have the sample analyzed by a certified laboratory.

#### **DISCOLORED WATER**

Water quality is affected whenever there is a disturbance to the water distribution system.

#### **CLOUDY WATER**

Cloudy water is caused by tiny air bubbles in the water similar to the gas bubbles in carbonated soft drinks. This can occur after pipe repairs or other service disruptions. After a short while, the bubbles rise to the top and are gone.

#### CAUSES OF DISCOLORED WATER

 Disturbances can be caused by various reasons such as water main breaks, authorized emergency use of a public fire hydrant, and electrical outages, to name a few. Iron build up is dislodged from inside the water lines creating the discoloration in the water. Time generally allows the system to settle and run clear. If you have any questions, please contact our customer service department. Flushing hydrants is a necessary step to assuring clear sparkling water to your home. It can cause a rust-look to the water for a short-time. The condition will clear-up—just let the cold water run for a short time. You will be notified by our telephone notification system when hydrants will be flushed in your area. Please make sure we have your correct phone number on file.

#### **UNDETECTED WATER LEAKS**

A continuous leak from a hole just 1/16th" in size at 60 psi water pressure would result in approximately 74,000 gallons wasted in a 3-month period! 1/8th" size hole would waste 296,000 gallons, 3/16th" hole would waste 666,000 gallons, and a 1/4" hole would waste 1,181,500 gallons of water in a 3-month period! It adds up fast and is very costly, especially if you are paying both water and sewer charges. So please check for leaks periodically

#### **CHECKING FOR LEAKS**

The best method for determining whether a leak exists is to take actual meter readings.

#### **LOCATE YOUR WATER METER**

The meter may be in your basement or mechanical room where the water service enters the building. Meter pits are out near the street or curb. If you have any questions as to the location of your meter, please contact our customer service department and a representative will answer any questions you may have.

#### **LEAK DETECTION INDICATOR**

First look on the face of the meter and observe the small red or black triangle. This triangle is considered a low flow or leak detection indicator. Check and see if the triangle is turning. Make sure all faucets are off. If the triangle is turning and no water is being used including appliances such as an ice-maker, a humidifier, a water softener, etc., water is being used somewhere within your plumbing system. Check outside hoses, washing machine hoses, toilets (especially downstairs ones), pools.

#### **READ THE METER TWICE**

Read the meter first at night, after the day's usage has ended and again in the morning before any water is used. Find the difference by subtracting the first reading from the second reading to calculate the consumption used overnight.

#### LOOK FOR LEAKS

The most common invisible leak is your toilet. Check for leaks by adding a small amount of food coloring in the tank. Wait for 15 minutes and see if the color appears in the bowl of your commode.

#### **VERIFY REPAIRS**

After making repairs, repeat the above mentioned procedures to verify that the leak has been repaired.

# UNDETECTED WATER LOSS IS GENERALLY FOUND IN ONE OR ALL OF THESE THREE AREAS

- 1. Most leaks are reflected through your commode
- 2. Leaky faucets
- 3. Service line leaks when meters are located outside in a ground



# WATER COSTS MONEY, DON'T WASTE IT!

A continuous leak from a hole this size at an average household water pressure of 60 psi would, over a three month period, result in the waste listed.

diamet	er of stream	n in:	waste per quarter at 60 psi water pressure in:		
inches	.0	· mm	gallons 1,181,500		
1/8 1/16 1/32	O •	3.2 1.6 .8	296,000 74,000 18,500		